

# SOME HELMINTHS FROM MINK IN SOUTHWESTERN MONTANA, WITH A CHECKLIST OF THEIR INTERNAL PARASITES

Delbert L. Barber<sup>1,2</sup> and Lawrence L. Lockard<sup>2</sup>

**ABSTRACT.**—Thirty-four percent of 100 mink examined from Gallatin and Madison counties, Montana, revealed the presence of *Perostrongylus pridhami* Anderson, 1962 (Anderson, 1963), in the lungs. This is the first report of *P. pridhami* in the United States. Thirteen percent of the mink were infected with *Taenia mustelae* Gmelin, 1790. This is the first report of *T. mustelae* in southwestern Montana. A checklist of internal parasites of *Mustela vison* is included.

Parasites of mink in North America have been reported by numerous authors. No previous parasite surveys have been conducted on *Mustela vison* in southwestern Montana. The mink necropsied in this study were trapped in the Madison River, upper Gallatin River, and headwaters region of the Missouri River drainages during the winters of 1969 and 1970.

A total of 100 mink were examined. These animals were eviscerated and the viscera were placed in plastic bags and frozen. An NaCl fecal flotation was prepared to determine the presence of cestode and nematode eggs or larvae prior to examination of the animals. The gastrointestinal tract was dissected using an enterotome device (Figure 1). The contents were washed onto a 200-mesh screen,



Fig. 1. Enterotome Device. Seam ripper modified with plastic bead placed on end of point to facilitate intestinal incisions.

then transferred to an illuminated tray for examination (Figure 2). Cestodes were fixed in 10 percent formalin, stained in Delafield's hematoxylin, dehydrated in ethanol, cleared in beechwood creosote, and mounted in HSR (Hartman-Leddon Co.). Lungs, liver, and kidneys were dissected and each was placed in a jar with water and agitated on a mechanical shaker for 20 minutes. The contents were poured onto a 200-mesh screen, washed, transferred to an illuminated tray, and examined. Lung tissues that appeared to contain cysts or capsules were pressed between glass plates and observed under a dissecting microscope. Adult nematodes removed from lung parenchyma were fixed in 70 percent alcohol-5 percent glycerol and mounted in glycerol. Skulls, when available, were examined for nasal nematodes.

<sup>1</sup>Present address: 3131 E. 12th, Casper, Wyoming 82601.

<sup>2</sup>Department of Zoology and Entomology, Montana State University, Bozeman, Montana 59715.




Fig. 2. Illuminated tray used in postmortem recovery of helminth parasites.

#### RESULTS AND DISCUSSION

Fecal examinations revealed that 34 percent of 100 mink were passing first-stage nematode larvae. Three male nematodes and portions of two females were dissected out of the lung tissue; larvae were removed from the gravid females. These larvae were compared with those found in the fecal samples and it was determined that they were of the same type. The adult males were identified as

TABLE 1. Checklist of parasites reported from mink.

Parasite	Bibliography number
Trematoda (Flukes)	
<i>Alaria freundi</i>	85
<i>A. minuta</i>	18
<i>A. mustelae</i>	14, 15, 30, 31, 61
<i>Apophallus muehlingi</i>	86
<i>Baschkirovitrema incrassatum</i>	61
<i>Cephalophallus obscurus</i>	53
<i>Cryptocotyle concava</i>	57
<i>C. lingua</i>	57, 58
<i>Enhydridiplostomum alarioides</i>	61
<i>Euparyphium beaveri</i>	61
<i>E. inerme</i>	1, 51, 69, 90
<i>E. melis</i>	11, 30, 31, 38, 39, 46, 51
<i>Euryhelmis monorchis</i>	4, 30, 31, 61
<i>E. pacificus</i>	61, 80
<i>E. pyriformis</i>	61
<i>E. squamula</i>	38, 54, 61
<i>Fasciola hepatica</i>	58

TABLE 1 (continued)

<i>Fibricola cratera</i>	73
<i>Metagonimoides oregonensis</i>	47, 61, 81
<i>Metorchis conjunctus</i>	30, 31, 35
<i>Nanophyetus salmincola</i>	10, 38, 46, 78
<i>Neodiplostomum lucidum</i>	73
<i>Paragonimus kellicotti</i>	2, 3, 12, 30, 31, 35, 38, 49, 61, 79, 93
<i>P. westermani</i>	37
<i>Parametorchis canadensis</i>	38
<i>Procyotrema marsupiformis</i>	61
<i>Sellacotyle mustelae</i>	30, 31, 61, 94
<i>S. vitellosa</i>	61, 84
<i>Tocotrema lingua</i>	86
<i>Troglootrema acutum</i>	38
Cestoda (Tapeworms)	
<i>Diplogonoporus tetrapterus</i>	71
<i>Mesocestoides litteratus</i>	30, 31
<i>Moniezia</i> sp.	58
<i>Taenia mustelae</i> (= <i>tenuicollis</i> )	5, 29, 30, 31, 32, 33, 44, 45, 52, 59, 61, 66, 70, 72, 77, 83, 92
Acanthocephala	
<i>Centrorhynchus conspectus</i>	61
<i>Corynosoma hadweni</i>	58
<i>C. semerme</i>	28, 67
<i>C. strumosum</i>	28, 58, 67
<i>C. sp.</i>	9
<i>Macracanthorhynchus ingens</i>	17, 61
Protozoa	
<i>Eimeria mustelae</i>	43
<i>Isospora bigemina</i>	79
Nematoda (Roundworms)	
<i>Aelurostrongylus falciformis</i>	6, 8
<i>Ascaris</i> sp.	1, 35, 51, 61, 90
<i>Capillaria mustelorum</i>	30, 31, 35, 58, 61, 68, 79
<i>Crenosoma hermani</i>	6, 26
<i>Dictyocaulus filaria</i>	58
<i>Dioctophyme renale</i>	1, 12, 21, 24, 30, 31, 35, 36, 40, 50, 55, 56, 60, 61, 75, 76, 79, 95, 96, 97, 98
<i>Dranunculus insignis</i>	19, 22, 35, 42
<i>D. medinensis</i>	13, 20, 30, 31, 62
<i>Epomidiostomum</i> sp.	61
<i>Eustrongylus gigas</i>	38
<i>Filaroides bronchialis</i>	34, 79
<i>F. mustelarum</i> (= <i>martis</i> )	1, 6, 25, 30, 31, 40, 48, 61, 88, 89
<i>Gnathostoma spinigerum</i>	17, 38, 40, 99
<i>Heterakis isolonche</i>	61
<i>Molineus patens</i>	30, 31, 46, 61, 64, 82
<i>Mustelivingylus skribabini</i>	46, 74
<i>Muellerius capillaris</i>	58
<i>Peristrostrongylus pridhami</i> (= <i>Aelurostrongylus</i> )	6, 7, 8, 87, 88
<i>Physaloptera</i> sp.	30, 31, 63, 65
<i>Seurocyrnea</i> sp.	61
<i>Skrjabingylus nasicola</i>	34, 41, 79, 91
<i>Soboliphyme baturini</i>	46
<i>Strongyloides</i> sp.	1, 51, 58, 90
<i>Trichinella spiralis</i>	16, 23, 27, 35, 40, 100

*Perostrongylus pridhami* Anderson, 1962 (Anderson, 1963), by Dr. Roy C. Anderson (personal correspondence). This parasite was previously reported by Anderson (1962) in Ontario, Canada. To our knowledge this is the first report of this species in the United States.

Thirteen percent of the *M. vison* were infected with the cestode *Taenia mustelae* Gmelin, 1790. Identification of these specimens was confirmed by Dr. Gerald D. Schmidt (personal correspondence). This is the first report of adult *T. mustelae* in mink from Gallatin and Madison counties in southwestern Montana.

#### ACKNOWLEDGMENTS

The authors express their appreciation to Dr. Roy C. Anderson for identification of the lung nematodes, to Dr. Gerald D. Schmidt for identifying the cestode, to Marvin Donahue for providing the mink viscera, to Dr. David E. Worley for assistance in preparing the manuscript, and to Donald H. Fritts for photographs.

#### BIBLIOGRAPHY

1. ALLEN, J. A. 1934. Parasites of fur-bearing animals. Proc. 5th Pan-Pacific Sci. Congr. 4:2981-2989.
2. AMEEL, D. J. 1931. Life history of North American lung flukes of mammals. J. Parasitol. 18:261-268.
3. ———. 1934. *Paragonimus*: Its life history and distribution in North America and its taxonomy (Trematoda: Troglotrematidae). Am. J. Hyg. 19:279-317.
4. ———. 1938. The morphology and life cycle of *Euryhelmis monorchis*, n. sp. (Trematoda) from the mink. J. Parasitol. 24:219-223.
5. ———. 1942. Two larval cestodes from muskrat. Trans. Am. Micro. Soc. 61:267-271.
6. ANDERSON, R. C. 1962. The systematics and transmission of new and previously described metastrongyles (Nemiatoda: Metastrongylidae) from *Mustela vison*. Can. J. Zool. 40(5):893-920.
7. ———. 1963. Further studies on the taxonomy of Metastrongyles (Nematoda: Metastrongyloidea) of Mustelidae in Ontario. Can. J. Zool. 41:801-805.
8. ANDERSON, R. C., AND A. FYVIE. 1961. Observations on *Aehurostrongylus falciformis* (Schlegel) of *Mustela vison* in Ontario. J. Parasitol. 47(4, sec. 2):43.
9. ARRO, I. V. 1966. Symposium on parasites and diseases of fish and aquatic invertebrates. (In Russian) Izdatestvo "Nauka," p. 3.
10. BAKER, G. A. 1950. *Troglotrema salmincola* in mink. J. Parasitol. 36:503.
11. BEAVER, P. C. 1941. Studies on the life history of *Euparygium melis* (Trematoda: Echinostromidae). J. Parasitol. 27:35-44.
12. BECKETT, J. V. AND V. GALLICCIHO. 1966. Occurrence of the lung fluke, *Paragonimus kellicotti* Ward, 1908, in Ohio mink. J. Parasitol. 52:511.
13. BENBROOK, E. A. 1940. The occurrence of the guinea worm, *Dranunculus medinensis*, in a dog and in a mink, with a review of this parasitism. J. Am. Vet. Med. Assoc. 96:260-263.
14. BOSMA, N. J. 1931. *Alaria mustelae*, sp. nov., a trematode requiring four hosts. Sci. 74:521-522.
15. ———. 1934. The life history of the trematode *Alaria mustelae*, sp. nov. Trans. Am. Micro. Soc. 53:116-154.
16. CHADDOCK, T. T. 1947. Veterinary problems of the fur ranch: Occurrence of trichinosis in mink. Vet. Med. 42(8):283.

17. CHANDLER, A. C., AND D. M. MELVIN. 1951. A new cestode, *Oochoristica pennsylvanica*, and some new or rare helminth host records from Pennsylvania mammals. *J. Parasitol.* 37:106-109.
18. CHANDLER, A. C., AND R. RAUSCH. 1946. A study of Strigeids from Michigan mammals, with comments on the classification of mammalian strigeids. *Trans. Am. Micro. Soc.* 65(4):328-337.
19. CHEATUM, E. L., AND A. H. COOK. 1948. On the occurrence of the North American guinea worm in mink, otter, raccoon, and skunk in New York State. *Cornell Vet.* 38(4):421-423.
20. CHITWOOD, B. G. 1933. Does the guinea worm occur in North America? *J. Am. Med. Assoc.* 100:802-804.
21. CRICHTON, V. J. 1970. *Diocophyllum renale* in Manitoba mink. *Can. J. Zool.* 48(3):591-592.
22. CRITES, J. L. 1963. Dracontiasis in Ohio carnivores and reptiles, with a discussion of dracunculid taxonomic problems. *Ohio J. Sci.* 63(1):1-6.
23. CZARNOWSKI, A., AND G. CHYLINSKI. 1964. Włonśnica u lisow i norek [Trichinella in foxes and mink]. *Medy. Wet.* 20(9):535.
24. DEARBORN, N. 1946. Miscellaneous notes. *J. Mammal.* 27(2):178.
25. DOUGHERTY, E. C. 1943. The genus *Filaroides* van Beneden, 1858, and its relatives. Preliminary note. *Proc. Helminthol. Soc. Wash.* 10:69-74.
26. ———. 1945. A review of the genus *Crenosoma* Molin, 1861 (Nematoda: Trichostrongylidae): Its history, taxonomy, adult morphology, and distribution. *Proc. Helminthol. Soc. Wash.* 12:44-62.
27. DUBNITSKI, A. A. 1956. Prevent the occurrence of trichinelliasis at state mink farms. *Karakulevodstvo i Zverovodstvo*, 9(3):60.
28. ———. 1957. The infestation of fur-bearing animals by acanthocephalan parasites. (In Russian) *Karakulevodstvo i Zverovodstvo*, 10(4):52-54.
29. DUNAGAN, T. T. 1957. Helminth parasites of Alaskan muskrats. *Trans. Am. Micro. Soc.* 76:318-320.
30. ERICKSON, A. B. 1944. Helminths of Minnesota Canidae in relation to food habits, and a host list and key to the species reported from North America. *Am. Midland Natur.* 32:358-372.
31. ———. 1946. Incidence of worm parasites in Minnesota Mustelidae and host lists and keys to North American species. *Am. Midland Natur.* 36(2):494-509.
32. FREEMAN, R. S. 1956. Life history studies on *Taenia mustelae* Gmelin, 1790, and the taxonomy of certain taenioid cestodes from Mustelidae. *Can. J. Zool.* 34:219-242.
33. GIBBS, H. C. 1957. On the role of rodents in the epidemiology of hydatid disease in the MacKenzie river basin. *Can. J. Comp. Med. Vet. Sci.* 21:287-289.
34. GOBEL, F. C. AND A. H. COOK. 1942. Notes on nematodes from the lungs and frontal sinuses of New York fur-bearers. *J. Parasitol.* 28: 451-455.
35. GORHAM, J. R., AND H. J. GRIFFITHS. 1952. Diseases and parasites of minks. *Farmer's Bull. U.S. Dept. of Agri. No. 2050*:41.
36. GRAVES, E. F. 1937. *Diocophyllum renale* in mink. *J. Am. Vet. Med. Assoc.* 90:531-532.
37. ———. 1937. *Paragonimus westermani* in mink. *J. Am. Vet. Med. Assoc.* 90:667-668.
38. GRINI, O. 1933. Die Krankheiten des Minks. *Pelztierzucht* 9(2):23-28.
39. GUPTA, S. P. 1962. A redescription of *Euparyphium melis* (Schrank, 1788) Dietz, 1909, and *Echinostoma revolutum* (Froelich, 1802) Looss, 1899, parasitic in the intestine of mink (*Mustela vison*) and muskrat (*Ondatra zibethica*) from Canada. *Indian J. Helminthol.* 14(2):77-85.
40. HANSON, K. B. 1932. Parasites of mink and their control. *U.S. Dept. Agric. Bureau Bio. Survey Bi-1235* (Mimeographed).
41. HANSOON, I. 1968. Cranial helminth parasites in species of Mustelidae. I. Frequency and damage in mustelids from Sweden. *Oikos.* 19(2): 217-233.
42. HUGGHINS, E. J. 1958. Guinea worms in a raccoon from South Dakota and in mink from Minnesota. *J. Parasitol.* 44:41-42.

43. KINGSCOTE, A. A. 1934. *Eimeria mustelae*, n. sp., from *Mustela vison*. J. Parasitol. 20:252-253.
44. KINSELLA, J. M. 1967. Helminths of Microtinae in western Montana. Can. J. Zool. 45:269-274.
45. ———. 1968. Helminths of the western jumping mouse (*Zapus princeps*) in western Montana. J. Parasitol. 54:309.
46. KONTRIMAVICHUS, V. L. 1966. The helminth fauna of American mink acclimatized in the Khabarovsk Territory. In Jerusalem: Israel Program for Scientific Translations, pp. 241-242.
47. LANG, B. Z. 1970. *Metagonioides oregonensis* from *Mustela vison* in Michigan. J. Parasitol. 56(5):1031-1032.
48. LANKESTER, M. W., AND R. C. ANDERSON. 1965. Small mammals as paratenic host of lungworms. Can. J. Zool. 44:341.
49. LARUE, G. R., AND D. J. AMEEL. 1937. The distribution of *Paragonimus*. J. Parasitol. 23:382-388.
50. LAW, R. G. 1932. *Dioctophyme renalis* of mink. N. Am. Vet. 13(3):45.
51. LAW, R. G., AND A. H. KENNEDY. 1932. Parasites of fur-bearing animals. Bull. No. 4, Dept. Game and Fisheries, Ontario.
52. LOCKER, BETTY. 1955. The identification of *Taenia tenuicollis* Rudolphi, 1819, in North America. J. Parasitol. 41:51-56.
53. MACY, R. W., AND D. J. MOORE. 1954. On the life cycle and taxonomic relations of *Cephalophallus obscurus*, n. g., n. sp., an intestinal trematode (Lecithodendriidae) of mink. J. Parasitol. 40(3):328-335.
54. MCINTOSH, A. 1936. The occurrence of *Euryhelmis squamala* Rudolphi, 1819, in the United States. J. Parasitol. 22:536.
55. MCLEOD, J. A. 1967. *Dioctophyme renale* infections in Manitoba. Can. J. Zool. 45:505-508.
56. MCNEIL, C. W. 1948. Pathological changes in the kidney of mink due to infection with *Dioctophyme renale* (Goeze, 1782), the giant kidney worm of mammals. Trans. Am. Micro. Soc. 67:257-261.
57. McTAGGART, H. S. 1958. *Cryptocotyle lingua* in British mink. Nature (London) 181(4609):651.
58. ———. 1960. Helminths from the alimentary canal of farm mink in Britain. J. Helminthol. 34(3-4):247-258.
59. MEGGITT, F. J. 1924. Cestodes of mammals. London.
60. MEYER, M. C., AND J. F. WITTER. 1950. The giant kidney worm (*Dioctophyme renale*) in mink in Maine, with a summary of recent North American records. J. Am. Vet. Med. Assoc. 116(878):367-369.
61. MILLER, G. C., AND R. HARKEMA. 1964. Studies on helminths of North Carolina vertebrates. V. Parasites of the mink, *Mustela vision*. J. Parasitol. 50:717-720.
62. MOHLER, J. R. 1933. Zoological Division. Reports of the chief of the Bureau of Animal Industry, U.S. Dept. of Agriculture, pp. 42-47.
63. MORGAN, B. B. 1941. A summary of the Physalopterinae (Nematoda) of North America. Proc. Helminthol. Soc. Wash. 8:28-30.
64. ———. 1943. New host records of nematodes from Mustelidae (Carnivora). J. Parasitol. 29:158-159.
65. ———. 1944. The *Physaloptera* (Nematoda) of carnivores. Trans. Wis. Acad. Sci. 36:375-388.
66. MOROZOV, F. N. 1939. The parasitic worms of Mustelidae in Gorkiy's region. (In Russian) Trudy Gor'Konsk. Gosudarst. Pedagog. Inst. 4:3-44.
67. NUORTEVA, P. 1966. *Corynosoma strumosum* (Rud.) and *C. semerne* (Forssell) (Acanthocephala) as pathogenic parasites of farmed mink in Finland. J. Helminthol. 40(1-2):77-80.
68. PETROV, A. M., AND L. V. PANISIIEVA. 1952. Phenothiazine therapy against *Capillaria* infections of the stomach and bladder of mink and sable. (In Russian) Karakulevodstvo i Zverovodstvo 5(1):70-71.
69. PRICE, E. W. 1932. The occurrence of *Euparyphium inerme* (Fuhrmann) in North America. J. Parasitol. 18:311.

70. RAUSCH, R. L. 1952. Studies on the helminth fauna of Alaska. XI. Helminth parasites of microtine rodents—taxonomic considerations. *J. Parasitol.* 38:415-444.
71. —. 1964. Studies on the helminth fauna of Alaska. XLI. Observations on cestodes of the genus *Diplogonoporus* Lonnberg, 1892 (Diphyllobothriidae). *Can. J. Zool.* 42(6):1049-1069.
72. RAUSCH, R. L., AND J. TINER. 1949. Studies on the parasitic helminths of the North Central States. II. Helminths of voles (*Microtus* spp.). Preliminary report. *Am. Midland Natur.* 39:728-747.
73. READ, C. P. 1948. Strigeids from Texas mink, with notes on the genus *Fibricola* Dubois. *Tr. Am. Micro. Soc.* 67(2):165-168.
74. ROMANOV, I. V. 1962. *Mustelivingylus skrjabini*, n.g., n. sp., from Mustelidae. (In Russian) *Lab.* 12:94-97.
75. SADIGHIAN, A., AND F. AMIMI. 1967. *Dioctophyme renale* (Goeze, 1782) Stiles, 1901, in stray dogs and jackals in Shahsavar Area, Caspian Region, Iran. *J. Parasitol.* 53:961.
76. SCHACHER, J. F., AND E. C. FAUST. 1956. Occurrence of *Dioctophyme* in Louisiana, with remarks on the size of infertile eggs of this species. *J. Parasitol.* 43(5):533-535.
77. SCHAD, G. A. 1954. Helminth parasites of mice in northeastern Quebec and the coast of Labrador. *Can. J. Zool.* 32:215-224.
78. SCHLEGEL, M. W., S. E. KNAPP, AND R. E. MILLEMANN. 1968. "Salmon Poisoning" disease. V. Definitive hosts of the trematode vector, *Nanophyetus salmincola*. *J. Parasitol.* 54:770-774.
79. SEALANDER, J. A. 1943. Notes on some parasites of the mink in southern Michigan. *J. Parasitol.* 29:361-362.
80. SENGER, C. M., AND R. W. MACY. 1952. Helminths of northwest mammals. *J. Parasitol.* 38(5):481-486.
81. SENGER, C. M., AND K. A. NEILAND. 1955. Helminth parasites of some fur-bearers of Oregon. *J. Parasitol.* 41(6):637-638.
82. SKINKER, M. S. 1932. *Molineus patens* (Dujardin, 1845) Skrjabin and Schulz, 1926, collected in the United States. *J. Parasitol.* 19:91.
83. —. 1935. A redescription of *Taenia tenuicollis* Rudolphi, 1819, and its larvae *Cysticercus talpae* Rudolphi, 1819. *Parasitol.* 27:175-185.
84. SOGANADERS-BERNAL, F. 1961. *Sellacotyle vitellosa*, a new Troglotrematid trematode from the mink in Louisiana. *J. Parasitol.* 47(6):911-912.
85. SPREHN, C. E. W. 1932. Lehrbuch der Helminthologie, pp. 341-342, 716-717.
86. SPREHN, C. 1956. Seltene Helminthen in deutschen Farmnerzen. *Deut. Tierarztliche Wochenschrift* 63(33-34):342-346.
87. STOCKDALE, P. H. G. 1970. The development, route of migration, and pathogenesis of *Perostrongylus pridhami* in mink. *J. Parasitol.* 56:559-566.
88. —. 1970. Pulmonary lesions in mink with a mixed infection of *Filaroides martis* and *Perostrongylus pridhami*. *Can. J. Zool.* 48:757-759.
89. STOCKDALE, P. H. G., AND R. C. ANDERSON. 1970. The development, route of migration, and pathogenesis of *Filaroides martis* in mink. *J. Parasitol.* 56:550-558.
90. SWALES, W. E. 1933. A review of Canadian helminthology I, II. *Can. J. Res.* 8:468-482.
91. —. 1938. *Skrjabingylus nasicola* (Leuckart, 1842) Petrow, 1927, a nematode parasitic in the frontal sinuses of American Mustelidae. *Livro Jub. Travassos*, pp. 455-458.
92. THIENEMANN, J. W. 1906. Untersuchungen über *Taenia tenuicollis* Rudolphi, 1819, Mit Berücksichtigung der übrigen Musteliden Taenien. *Arch. Naturgeschichte* 1:227-248.
93. WALLACE, F. G. 1931. Lung flukes of the genus *Paragonimus* in American mink. *J. Am. Vet. Med. Assoc.* 31:229-234.
94. —. 1935. A morphological and biological study of *Sellacotyle mus-telae*, n.g., n. sp. *J. Parasitol.* 21:143-164.
95. WOODHEAD, A. E. 1941. The life cycle of *Dioctophyme renale*, the giant kidney worm of man and many other mammals. *J. Parasitol.* (suppl.)

96. ———. 1945. The life history cycle of *Dioctophyme renale*, the giant kidney worm of man and many other mammals. J. Parasitol. (suppl.) 31:12.
97. ———. 1950. Life history cycle of the giant kidney worm, *Dioctophyme renale* (Nematoda), of man and many other mammals. Trans. Am. Micro. Soc. 69(1):21-46.
98. WOODHEAD, A. E., AND C. W. MCNEIL. 1939. *Dioctophyme renale*, the giant kidney worm occurring in mink, from the southern counties of Michigan. J. Parasitol. (suppl.) 25:23.
99. YOSHIDA, S. 1934. Observation on *Gnathostoma spinigerum* Owen, 1836, cause of esophageal tumor in Japanese mink (*Lutreola itatsi itatsi* Temmenick, 1844), with especial reference to its life history. Japan. J. Zool. 6:113-122.
100. ZIMMERMANN, W. J., E. D. HUBBARD, L. H. SCHWARTE, AND H. E. BIESTER. 1962. *Trichinella spiralis* in Iowa wildlife during the years 1953 to 1961. J. Parasitol. 48:429-432.